



CHILD HEALTH

Multiple Indicators Cluster Survey 2006

GHANA

	Mortality		Nutritional status				Immunization	Malaria		
	Children died before age 5 (per thousand live births)	Infants died before first birthday (per thousand live births)	Children underweight (weight for age) (%)	Children stunted (height for age) (%)	Infants with low birth weight (%)	Children exclusively breastfed in first 6 months (%)	Children received vitamin A supplementation (%)	Children vaccinated against measles before 2nd birthday (%)	Children sleeping under Insecticide Treated Net (%)	Appropriate anti-malarial treatment for children (%)
GHANA										
National	111	71	18	22	9	54	60	85	22	48
Urban	106	68	12	13	9	60	55	88	16	58
Rural	114	72	21	28	9	51	63	84	25	44
SOCIO-ECONOMIC STATUS										
Poorest	118	75	25	31	9	61	-	79	41	-
Richest	100	64	8	7	9	65	-	99	26	-
REGIONS										
Western	66	45	15	21	10	-	63	92	12	46
Central	108	69	16	26	8	-	54	69	20	47
Greater Accra	92	60	8	10	9	-	33	89	16	66
Volta	86	57	20	21	10	-	63	76	22	58
Eastern	93	61	18	22	10	-	63	83	25	32
Ashanti	113	72	17	23	9	-	71	95	22	35
Brong Ahafo	142	88	13	22	8	-	76	78	26	49
Northern	133	83	27	31	9	-	61	83	22	57
Upper East	106	68	29	28	10	-	58	88	39	53
Upper West	191	114	19	23	9	-	67	92	37	34